

## **Grocery rebate incentives and conditions**

Revised November 2024

Equipment upgrade		Incentive	
Door auto-closer <sup>1</sup>	walk-in freezer	\$50	per door
	walk-in cooler	\$50	per door
	reach-in freezer	\$50	per door
	reach-in cooler	\$50	per door
Door gaskets <sup>2</sup>	walk-in cooler	\$6	per linear ft
	walk-in freezer	\$7	per linear ft
	reach-in cooler	\$6	per linear ft
	reach-in freezer	\$7	per linear ft
Strip curtain	walk-in cooler	\$75	per door
	walk-in freezer	\$150	per door
Suction line insulation		\$1.50	per linear ft
Retrofit open display case with glass doors <sup>3</sup>		\$300	per linear ft
Zero energy glass door <sup>4</sup>		\$125	per door
Low energy glass door <sup>5</sup>		\$75	per door



Anti-sweat heater (ASH) controls <sup>6</sup>		\$100	per door
EC evaporator fan motor <sup>7</sup>	reach-in cooler/freezer	\$50	per motor
	walk-in cooler/freezer	\$100	per motor
PMSM evaporator fan motor (e.g., Q-Sync) <sup>8</sup>	reach-in cooler/freezer	\$100	per motor
	walk-in cooler/freezer	\$250	per motor
EC compressor head cooling fan motor <sup>9</sup>		\$50	per motor
Night covers (vertical or horizontal)		\$20	per In ft case
Smart defrost control for walk-in freezer <sup>10</sup>		\$400	per controller
Evaporator fan controls for walk-in cooler/freezer <sup>11</sup>		\$50	per fan motor
Outside air economizers for walk-in cooler/freezer <sup>12</sup>		\$1,250	per unit
Ultra-Low Temperature Freezer (<-94°F) 13	ENERGY STAR®	\$450	per unit

## **Additional requirements**

- 1. New installation or replacement of non-functioning auto-closer; no rebate for the adjustment of an existing auto-closer. Must be able to firmly close the door when open one inch. Door must have a minimum perimeter of 15 feet.
- 2. New gasket to replace existing, worn or damaged gasket. Replacement gaskets must meet the manufacturer's specifications regarding dimensions, materials, attachment method, style, compression and magnetism.
- 3. Convert an existing refrigerated open display case to be enclosed, by adding necessary framing and glass doors. The refrigeration system must be adjusted as well to account for the reduced refrigeration load. This may include the compressor rack, refrigerant piping, condensers, and/or



- additional hardware or controls. The unit of linear feet is a measurement of the length of the display case.
- 4. Triple-pane glass with either heat-reflective treated glass or gas fill and are equipped with no anti-sweat heaters. Anti-Sweat Heater Control rebate is not available with this rebate.
- 5. New glass doors replacing existing glass door with an amp draw of less than 0.39 amps per door. Anti-Sweat Heater Control rebate is not available with this rebate.
- 6. Controller that reduces the energy use of anti-sweat heater by 50% by sensing humidity, dew point or condensation. Zero energy and low energy glass door rebates are not available with this rebate.
- 7. Electrically commutated (EC) evaporator fan motor replacing an existing shaded pole motor, less than 1 hp. Rebate is available for existing walk-ins, existing reach-ins, and new reach-ins; no rebate is available for new walk-ins.
- 8. Permanent magnet synchronous motor (PMSM) evaporator fan motor replacing an existing shaded pole motor, less than 1 hp. Q-Sync is the most common brand.
- 9. New compressor head fan motor less than 20W, replacing an existing shaded pole motor (>35W) on a low temp reciprocating compressor system. Compressor must be an integral part of a refrigeration system with a remote air-cooled condenser.
- 10. Automated controls on a system with a condensing unit of 1.5 horsepower or greater. Controls should use temperature and pressure sensors to determine when to initiate an evaporator defrost cycle. Timers are not eligible.
- 11. Automated controls on an evaporator fan of 1/20 horsepower or greater. Must reduce evaporator fan runtime by at least 70% when the compressor is not running. Must automatically reduce fan speed when refrigerant is not flowing.
- 12. For walk-in coolers or freezers greater or equal than 1000 cubic feet. Outdoor air and exhaust dampers must close automatically for summer isolation. Must be capable of using outdoor air or less than 34 degrees Fahrenheit while maintaining cooler set point.
- 13. ENERGY STAR certified with MDEC < 0.42 kWh/day/ft3

## Incentive details and requirements:

- Electric efficiency incentives are available to commercial electric customers of Estes Park Power and Communications, Fort Collins Utilities, Longmont Power & Communications or Loveland Water and Power
- Water efficiency incentives are available to commercial water customers of Fort Collins Utilities, City of Longmont or Loveland Water and Power
- Total incentive amounts over \$10,000 require pre-approval before efficiency upgrades begin
- Total incentives are limited to 100% of a project total upgrade cost
- Efficiency Works Business maximum incentive limits will apply per project, see Program Guide for details